

**ORDINANCE NUMBER 16-10848**

**AN ORDINANCE AMENDING CHAPTER 8, ARTICLE I, DIVISION 3 OF THE SALINA CODE BY REPEALING THE EXISTING SECTIONS 8-71 THROUGH 8-118; ADOPTING THE 2012 EDITION OF THE UNIFORM PLUMBING CODE BY REFERENCE; AND ADOPTING LOCAL AMENDMENTS.**

**BE IT ORDAINED** by the Governing Body of the City of Salina, Kansas:

**Section 1. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-1 which section reads as follows:

**Sec.8-1-3-1. Uniform Plumbing Code adopted.**

The Uniform Plumbing Code, 2012 Edition, promulgated and published by the International Association of Plumbing and Mechanical Officials, not including any of its appendices, (UPC) is adopted and incorporated by reference, except as amended in this division.

**Section 2. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-101.1 which section reads as follows:

**Sec. 8-1-3-101.1 Amendment to Section 101.1 of the UPC.**

Section 101.1 of the UPC is amended to read as follows:

**Sec. 101.1 Title.** These regulations shall be known as the Uniform Plumbing Code of the City of Salina, Kansas, hereinafter referred to as the "UPC" or "plumbing code".

**Section 3. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-102.1 which section reads as follows:

**Sec. 8-1-3-102.1 Amendment to Section 102.1 of the UPC.**

Section 102.1 of the UPC is amended to read as follows:

**Sec. 102.1 Authority Having Jurisdiction.** The authority having jurisdiction shall be the building official. The city manager shall appoint and hereby delegates to the building official and any other city employees in designated technical roles the authority necessary to administer, interpret, and enforce this code. The building official shall have the authority to adopt and enforce rules and regulations supplemental to and consistent with this code.

**Section 4. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-102.3 which section reads as follows:

**Section 8-1-3-102.3 Amendment to Section 102.3 of the UPC.**

Section 102.3 of the UPC is amended to read as follows:

**Sec. 102.3 Board of Appeals.** The building advisory board shall hear and decide

appeals of orders, decisions or determinations made by the building official relative to the application and interpretation of this code. (See Article II.)

**Section 4. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-103.1.1 which section reads as follows:

**Sec. 8-1-3-103.1.1 Amendment to Section 103.1.1 of the UPC.**

Section 103.1.1 of the UPC is amended to read as follows:

**Sec. 103.1.1 Exempt Work.** A permit shall not be required for the following:

1. The stopping of leaks in drains, soil, waste or vent pipe, provided however, that a trap, drain pipe, soil waste, or vent pipe become defective and it becomes necessary to remove and replace the same with new material, the same shall be considered as new work and a permit shall be procured and inspection made as provided in this code.
2. The clearing of stoppages, including the removal and reinstallation of water closets, or the repairing of leaks in pipes, valves or fixtures, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes, or fixtures.

Exemptions from the permit requirements of this code shall not be deemed to grant authorization for work to be done in violation of the provisions of the code or other laws and ordinances of this jurisdiction.

**Section 5. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-103.4.1 which section reads as follows:

**Sec. 8-1-3-103.4.1 Amendment to Section 103.4.1 of the UPC.**

Section 103.1.1 of the UPC is amended to read as follows:

**Sec. 103.4.1 Permit Fees.** The fee for each permit shall be as set forth in the fee schedule adopted pursuant to Section 2-2 of the Salina Code.

**Section 6. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-103.4.2 which section reads as follows:

**Sec. 8-1-3-103.4.2 Amendment to Section 103.4.2 of the UPC.**

Section 103.4.2 of the UPC is amended to read as follows:

**Sec. 103.4.2 Plan Review Fees.** No fees shall be charged for plan review.

**Section 7. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-312.6 which section reads as follows:

**Sec. 8-1-3-312.6 Amendment to Section 312.6 of the UPC.**

Section 312.6 of the UPC is amended to read as follows:

**Sec. 312.6 Freezing Protection.** No water, soil, or waste pipes shall be installed or permitted outside of a building or in an exterior wall, unless where necessary, adequate provisions are made to protect such pipe from freezing by insulation or heat, or both. Exterior water supply system piping shall be installed not less than 6 inches below the frost line. The frost line depth in the city is 36 inches.

**Section 8. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-316.1 which section reads as follows:

**Sec. 8-1-3-316 Amendment to Section 316.1 of the UPC.**

Section 316.1 of the UPC is amended to read as follows:

**Sec. 8-1-3-316.1 Increases and Reducers.** Where different sizes of pipes or pipes and fittings are to be connected, the proper size increasers or reducers or reducing fittings shall be used between the two sizes. Bushings are approved fittings for this purpose in vent piping and as increasers in drainage piping. Brass or cast iron body cleanouts shall not be used as a reducer or adapter from cast iron drainage pipe to iron pipe size (IPS) pipe.

**Section 9. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-Table 422.1 which section reads as follows:

**Sec. 8-1-3-422.1 Amendment to Table 422.1 of the UPC.**

Table 422.1 of the UPC is amended to read as follows:

**TABLE 422.1**

**MINIMUM PLUMBING FACILITIES (1)**

Each building shall be provided with sanitary facilities, including provisions for persons with disabilities as described by the 2010 ADA Standards for Accessible Design. Table 422.1 applies to new buildings, additions to a building, and changes of occupancy or type in an existing building resulting in an increased occupant load.

<b>Type of Occupancy (2)</b>	<b>Water closets (fixtures per person)(3)</b>	<b>Urinals (Fixtures per person)(4)</b>	<b>Lavatories (fixtures per person) (5),(6)</b>	<b>Bathtubs or showers (fixtures per person)</b>	<b>Drinking fountains / facilities (fixtures per person)</b>	<b>Other</b>
<b>A-1 Assembly (fixed or</b>	<u>Male-</u> 1: 1-100	1: 1-200 2: 201-300	<u>Male:</u> 1: 1-200	-	1: 1-250 2: 251-500	1 service sink or

permanent seating)- theaters, symphony and concert halls, auditoriums	2: 101-200 3:201-400 <u>Female-</u> 1:1-25 2: 26-50 3:51-100 4:101-200 6: 201-300 8: 301-400  Over 400 add (1) fixture for each additional 250 males and (1) fixture for each 125 females.	3: 301-400 4: 401-600  <u>Over 600,</u> add (1) fixture for each additional 300 males.	2: 201-400 3: 401-600 4: 601-750 <u>Female:</u> 1: 1-100 2: 101-200 4: 201-300 5: 301-500 6: 501-750  Over 750, add (1) fixture for each additional 250 males and (1) fixture for each 200 females.		3: 501-750  <u>Over 750,</u> add (1) fixture for each additional 500 persons.	laundry tray
<b>A-2 Assembly</b> (restaurants, pubs, lounges, night clubs, casinos and banquet halls)	<u>Male-</u> 1:1-50 2: 51-150 3: 151-300 4: 301-400 <u>Female-</u> 1: 1-25 2: 26-50 3: 51-100 4: 101-200 6: 201-300 8: 301-400  Over 400 add (1) fixture for each additional 250 males and (1) fixture for each 125 females.	1: 1-200 2: 201-300 3: 301-400 4:401-600  <u>Over 600,</u> add (1) fixture for each additional 300 males.	<u>Male:</u> 1: 1-150 2: 151-200 3: 201-400 <u>Female:</u> 1: 1-150 2: 151-200 4: 201-400  <u>Over 400,</u> add (1) fixture for each additional 250 males and (1) fixture for each additional 200 females.	–	1: 1-250 2: 251-500 3: 501-750  <u>Over 750,</u> add (1) fixture for each additional 500 persons.	1 service sink or laundry tray
<b>Type of Occupancy (2)</b>	<b>Water closets (fixtures per person)(3)</b>	<b>Urinals (Fixtures per person)(4)</b>	<b>Lavatories (fixtures per person) (5),(6)</b>	<b>Bathtubs or showers (fixtures per person)</b>	<b>Drinking fountains / facilities (fixtures per person)</b>	<b>Other</b>
<b>A-3 Assembly</b> (without fixed or	<u>Male-</u> 1:1-100	1: 1-100 2: 101-200	<u>Males:</u> 1: 1-200	–	1: 1-250 2: 251-500	1 service sink or

permanent seating)- arcades, art gallery, bowling alley, places of worship, museums, libraries, lecture halls, courtrooms, gymnasiums(with out spectator seating), indoor pools( without spectator seating), indoor tennis courts (without spectator seating)	2: 101-200 3: 201-300  <u>Female-</u> 1:1-25 2: 26-50 3: 51-100 4: 101-200 6: 201-300 8: 301-400  <u>Over 400</u> , add (1) fixture for each additional 500 males and (1) fixture for each additional 125 females.	3: 201-400 4: 401-600  <u>Over 600</u> , add (1) fixture for each additional 300 males.	2: 201-400 3: 401-600 4: 601-750  <u>Females:</u> 1: 1-100 2: 101-200 4: 201-300 5: 301-500 6: 501-750  <u>Over 750</u> , add (1) fixture for each additional 250 males and (1) fixture for each additional 200 females.		3: 501-750  <u>Over 750</u> , add (1) fixture for each additional 500 persons.	laundry tray.
<b>A-4 Assembly</b> (indoor activities or sporting events with spectator seating)- swimming pools, skating rinks, tennis courts, arenas and gymnasiums.	<u>Male-</u> 1: 1-100 2: 101-200 3: 201-400 <u>Female-</u> 1: 1-25 2:26-50 3: 51-100 4: 101-200 6:201-300 8: 301-400  <u>Over 400</u> , add (1) fixture for each additional 500 males and (1) fixture for each additional 125 females.	1: 1-100 2: 101-200 3: 201-400 4: 401-600  <u>Over 600</u> , add (1) fixture for each additional 300 males.	<u>Male-</u> 1: 1-200 2: 201- 400 3: 401-750 <u>Female-</u> 1: 1-100 2: 101-200 4: 201-300 5: 301-500 6: 501-750  <u>Over 750</u> , add (1) fixture for each additional 250 males and (1) fixture for each additional 200 females.	—	1: 1-250 2: 251-500 3: 501-750  <u>Over 750</u> , add (1) fixture for each additional 500 persons.	1 service sink or laundry tray
<b>Type of occupancy (2)</b>	<b>Water closets (3)</b>	<b>Urinals (4)</b>	<b>Lavatories (5),(6)</b>	<b>Bathtubs or showers</b>	<b>Drinking fountains/ facilities</b>	<b>Other</b>
<b>A-5 Assembly</b> (outdoor activities or sporting	<u>Male:</u> 1: 1-100 2: 101-200	1: 1-100 2: 101-200 3: 201-400	<u>Male:</u> 1: 1-200 2: 201-400	—	1: 1-250 2: 251-500 3: 501-750	1 service sink or laundry tray

events)- amusement parks, bleachers, grandstands and stadiums.	3: 201-400 <u>Female:</u> 1:1-25 2: 26-50 3: 51-100 4: 101-200 6: 201-300 8: 301-400  <u>Over 400</u> , add (1) fixture for each additional 500 males and (1) fixture for each additional 125 females.	4: 401-600 <u>Over 600</u> , add (1) fixture for each additional 300 males.	3: 401-750 <u>Females:</u> 1: 1-100 2: 101-200 4: 201-300 5: 301-500 6: 501-750  <u>Over 750</u> , add (1) fixture for each additional 250 males and (1) fixture for each additional 200 females.		<u>Over 750</u> , add (1) fixture for each additional 500 persons.	
<b>B - Business</b> (office, professional or service type transactions)- banks, vet clinics, hospitals, car wash, beauty salons, ambulatory health care facilities, laundries and dry cleaning, educational occupancies (above the 12 <sup>th</sup> grade), or training facilities not located within school, post offices, printing shops.	<u>Male:</u> 1: 1-50 2: 51- 100 3: 101-200 4: 201-400 <u>Female:</u> 1: 1-15 2: 16-30 3: 31-50 4: 51-100 8:101-200 11: 201-400  <u>Over 400</u> , add (1) fixture for each additional 500 males and (1) fixture for each additional 150 females.	1: 1-100 2: 101-200 3: 201-400 4: 401-600  <u>Over 600</u> , add (1) fixture for each additional 300 males.	<u>Male:</u> 1: 1-75 2: 76-150 3: 151-200 4: 201-300 5: 301-400 <u>Female:</u> 1: 1-50 2: 51-100 3: 101-150 4: 151-200 5: 201-300 6: 301-400  <u>Over 400</u> , add (1) fixture for each additional 250 males and 91) fixture for each additional 200 females.	–	1 per 150	1 service sink or laundry tray
<b>E- Educational -</b> private or public school	<u>Male:</u> 1 per 50 <u>Female:</u> 1 per 30	1 per 100	<u>Male:</u> 1 per 40 <u>Female:</u> 1 per 40	–	1 per 150	1 service sink or laundry tray
<b>Type of occupancy (2)</b>	<b>Water Closets (3)</b>	<b>Urinals (4)</b>	<b>Lavatories (5),(6)</b>	<b>Bathtubs or showers</b>	<b>Drinking fountains/Facilities</b>	<b>Other</b>
<b>F1, F2 Factory or Industrial -</b> fabricating or assembly work	<u>Male:</u> 1: 1-50 2: 51-75 3: 76-100	–	<u>Male:</u> 1: 1-50 2: 51-75 3: 76-100	1 shower for each 15 persons exposed to	1: 1-250 2: 251-500 3: 501-750	1 service sink or laundry tray

	<u>Female:</u> 1: 1-50 2: 51-75 3: 76-100  <u>Over 100</u> , add (1) fixture for each additional 40 persons.		<u>Female:</u> 1: 1-50 2: 51-75 3: 76-100  <u>Over 100</u> , add (1) fixture for each additional 40 persons.	excessive heat or to skin contamination with poisonous, infectious or irritating material	<u>Over 750</u> , add (1) fixture for each additional 500 persons.	
<b>I-1 Institutional</b> (houses more than 16 persons on a 24-hour basis)- substance abuse centers, assisted living, group homes, or residential facilities	<u>Male:</u> 1per 15  <u>Female:</u> 1per 15	—	<u>Male:</u> 1per 15  <u>Female:</u> 1 per 15	1 per 8	1 per 150	1 service sink or laundry tray
<b>I-2 Institutional -</b> medical, psychiatric, surgical or nursing homes, foster care facilities, detoxification facilities	<u>Hospitals and nursing homes- individual rooms and ward room:</u> 1 per room (individual room)  1 per 8 patients(ward room)  <u>Hospital waiting or visitor rooms:</u> 1 per room.  <u>Employee use:</u> <u>Male:</u> 1: 1-15 2: 16-35 3: 36-55 <u>Female:</u> 1: 1-15 3: 16-35 4: 36-55	—	<u>Hospitals and nursing homes- individual rooms and ward rooms:</u>  1 per room (individual room) 1 per 10 patients (ward room)  <u>Hospital waiting or visitor rooms:</u> 1 per room <u>Employee use:</u> <u>Male:</u> 1 per 40 <u>Female:</u> 1 per 40 <u>Over 55</u> , add (1) fixture for each additional 40 persons.	<u>Hospitals and nursing homes- individual and ward rooms:</u>  1per room (individual rooms) 1 per 20 patients (ward room)  —  —	<u>Hospitals and nursing homes- individual and ward rooms:</u> 1 per 150  <u>Hospital waiting or visitor rooms:</u> 1 per room	1 service sink or laundry tray
<b>Type of occupancy (2)</b>	<b>Water Closets (3)</b>	<b>Urinals (4)</b>	<b>Lavatories (5),(6)</b>	<b>Bathtubs or showers</b>	<b>Drinking fountains/Facilities</b>	<b>Other</b>
<b>I-3 Institutional</b> (houses more than 3 people)-	<u>Prisons:</u> 1 per cell	—	<u>Prisons:</u> 1 per cell	<u>Prisons:</u> 1 per 20	<u>Prisons:</u> 1 per cell block/floor	<u>Correctional facilities or juvenile</u>

correction centers, detention centers, jails, reformatories	<u>Correctional facilities or juvenile center:</u> 1 per 8 <u>Employee use:</u> <u>Male:</u> 1: 1-15 2: 16-35 3: 36-55 <u>Female:</u> 1; 1-15 3: 16-35 4: 36-55 <u>Over 55</u> , add (1) fixture for each additional 40 persons.		<u>Correctional facilities or juvenile center:</u> 1 per 10  <u>Employee use:</u> <u>Male:</u> 1 per 40 <u>Female:</u> 1 per 40	<u>Correctional facilities or juvenile centers:</u> 1 per 8 –	<u>Correctional facilities or juvenile center:</u> 1 per floor  <u>Employee use:</u> 1 per 150	<u>centers:</u> 1 service sink or laundry tray
<b>I-4 Institutional</b> (more than 5 persons of any age that receives care for less than 24 hours)- adult day care, child day care	<u>Male:</u> 1: 1-15 2: 16-35 3: 36-55  <u>Female:</u> 1: 1-15 3: 16-35 4: 36-55  <u>Over 55</u> , add (1) fixture for each additional 40 persons.	–	<u>Male:</u> 1 per 40  <u>Female:</u> 1 per 40	–	1 per 150	1 service sink or laundry tray
<b>M- Mercantile</b> (the sale of merchandise and is accessible to the public)- department stores, drug stores, markets, retail stores	<u>Male:</u> 1: 1-100 2: 101-200 3: 201-400 <u>Female:</u> 1: 1-100 2: 101-200 4: 201-300 6: 301-400  <u>Over 400</u> , add (1) fixture for each additional 500 males and (1) fixture for each additional 200 females.	0: 1-200 1: 200-400  <u>Over 400</u> , add (1) fixture for each additional 500 males.	<u>Male:</u> 1: 1-200 2: 201-400 <u>Female:</u> 1: 1-200 2: 201-300 3: 301-400  <u>Over 400</u> , add (1) fixture for each additional 500 males and (1) fixture for each additional 400 females.	–	1: 1-250 2: 251-500 3: 501-750  <u>Over 750</u> , add (1) fixture for each additional 500 persons.	1 service sink or laundry tray
<b>Type of occupancy (2)</b>	<b>Water closets (3)</b>	<b>Urinals (4)</b>	<b>Lavatories (5),(6)</b>	<b>Bathtubs or showers</b>	<b>Drinking fountains/facilities</b>	<b>Other</b>
<b>R-1 Residential</b> (minimum stay)- hotels, motels,	1 per sleeping room	–	1 per sleeping room	1 per sleeping room	–	1 service sink or laundry tray

bed and breakfast						
<b>R-2 Residential</b> (long term or permanent)- apartment houses, boarding houses (nontransient), convents, dormitories, fraternities, sororities, vacation timeshare properties	<u>Dormitories:</u> <u>Male:</u> 1 per 10 <u>Female:</u> 1 per 8  Add (1) fixture for each additional 25 males and (1) fixture for each additional 20 females.  <u>Employee use:</u> <u>Male:</u> 1: 1-15 2: 16-35 3: 36-55  <u>Female:</u> 1: 1-15 3: 16-35 4: 36-55  <u>Over 55</u> , add (1) fixture for each additional 40 persons.  <u>Apartment House/Unit:</u> 1 per apartment	<u>Dormitories:</u> 1 per 25  <u>Over 150</u> , add (1) fixture for each additional 50 males.	<u>Dormitories:</u> <u>Male:</u> 1 per 12 <u>Female:</u> 1 per 12  Add (1) fixture for each additional 20 males and (1) fixture for each additional 15 females.  <u>Employee use:</u> <u>Male:</u> 1 per 40 <u>Female:</u> 1 per 40  <u>Apartment house/unit:</u> 1 per apartment	<u>Dormitories:</u> 1 per 8  <u>Apartment houses/units</u> 1 per apartment	<u>Dormitories:</u> 1 per 150	<u>Dormitories:</u> 1 service sink or laundry tray  <u>Apartment houses/units</u> 1 kitchen sink per apartment. 1 laundry tray or 1 automatic clothes washer connection per unit or 1 laundry tray  or 1 automatic clothes washer connection for each 12 units.
<b>R-3 Residential</b> (long term or permanent in nature)- Buildings with not more than 2 dwelling units, care facilities that provide accommodations for 5 or fewer persons	<u>Male:</u> 1:10 <u>Female:</u> 1 per 8  Add (1) fixture for each additional 25 males and (1) fixture for each additional 20 females.	–	<u>Male:</u> 1 per 12 <u>Female:</u> 1 per 12  Add (1) fixture for each additional 20 males and (1) fixture for each additional 15 females.	1 per 8	1 per 150	1 service sink or laundry tray
<b>Type of occupancy(2)</b>	<b>Water closets (3)</b>	<b>Urinals (4)</b>	<b>Lavatories (5),(6)</b>	<b>Bathtubs or showers</b>	<b>Drinking fountains/facilities</b>	<b>Other</b>
<b>R-3 Residential</b> (one and two	1 per one and two family	–	1 per one and two family	1 per one and two	–	1 kitchen sink and 1

family dwelling)	dwelling		dwelling	family dwelling		automatic clothes washer connection per one and two family dwelling
<b>R-4 Residential</b> (residential care or assisted living for more than 5 but not more than 16 persons)- assisted living facilities, group homes, halfway houses	<u>Male:</u> 1 per 10 <u>Female:</u> 1 per 8  Add (1) fixture for each additional 20 females.	–	<u>Male:</u> 1 per 12 <u>Female:</u> 1 per 12  Add (1) fixture for each additional 20 males and (1) fixture for each additional 15 females.	1 per 8	1 per 150	1 service sink or laundry tray
<b>S1, S2 Storage-</b> storage of goods, warehouse, aircraft hanger, food products, appliances	<u>Male:</u> 1: 1-100 2: 101-200 3: 201-400 <u>Female:</u> 1: 1-100 2: 101-200 3: 201-400  <u>Over 400, add (1) fixture for each additional 500 males and (1) fixture for each additional 150 females.</u>	–	<u>Male:</u> 1:1-200 2: 201-400 3: 401-750 <u>Female:</u> 1: 1-200 2: 201-400 3: 401-750  <u>Over 750 add (1) fixture for each additional 500 persons.</u>	–	1: 1-250 2: 251- 500 3: 501-750  <u>Over 750, add (1) fixture for each additional 500 persons.</u>	1 service sink or laundry tray

**Notes:**

1. The figures shown are based upon one fixture being the minimum required for the number of persons indicated or any fraction thereof.
2. A restaurant is defined as a business that sells food to be consumed on the premises.
  - a. The number of occupants for a drive-in restaurant shall be considered as equal to the number of parking stalls.
  - b. The hand-washing facilities shall be available in the kitchen for employees.
3. The total number of required water closets for females shall not be less than the total number of required water closets and urinals for males.
4. For each urinal added in excess of the minimum required, one water closet shall be permitted to be deducted. The number of water closets shall not be reduced to less than two-thirds (2/3) of the minimum requirement.
5. Group lavatories that are 24 lineal inches (610mm) of wash sink or 18 inches (457mm) of a circular basin, where provided with water outlets for such space, shall be considered equivalent to one lavatory.
6. Metering or self-closing faucets shall be installed on lavatories intended to serve the transient public.
  - The occupant load for all buildings shall be determined by Section 1004 of the International Building Code.

**Section 10. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-418.3 which section reads as follows:

**Sec. 8-1-3-418.3 Amendment to Section 418.3 of the UPC.**

Section 418.3 of the UPC is amended to read as follows:

**Sec. 418.3 Location of Floor Drains.** Floor drains shall be installed in the following areas:

- a. Toilet rooms containing one (1) or more water closets or a combination of one or more lavatories, one (1) water closet and one (1) urinal, except in a dwelling unit.
- b. Commercial kitchens and in accordance with Section 704.3.
- c. Laundry rooms in commercial buildings and common laundry facilities in multi-family dwelling buildings.

**Section 11. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-603.4.2 which section reads as follows:

**Sec. 8-1-3-603.4.2 Amendment to Section 603.4.2 of the UPC.**

Section 603.4.2 of the UPC is amended to read as follows:

**Sec. 603.4.2 Testing.** The premise owner or responsible person shall have the backflow prevention assembly tested by a certified backflow assembly tester at the time of installation, repair, or relocation and tested and overhauled on the schedule listed in Salina Code Chapter 41, Article II, Division 4 - Cross Connections. The periodic testing shall be performed in accordance with the procedures referenced in Table 1401.1, 14-1, by a tester qualified in accordance with those standards.

**Section 12. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-709.0 which section reads as follows:

**Sec. 8-1-3-709.0 Amendment to Section 709.0 of the UPC.**

Section 709.0 of the UPC is amended to read as follows:

**Sec. 709.0 Gravity Drainage Required.** Wherever practicable, all plumbing fixtures shall be drained to the public sewer or private sewage disposal system by gravity. Where it is determined by the authority having jurisdiction that gravity drainage for an alteration is impractical, drainage piping serving such plumbing fixtures shall meet the requirements of Section 710.0.

**Exception:** Upon prior approval by the authority having jurisdiction, low flow fixtures such as but not limited to bar sinks, hand sinks, and indirect waste receptors for drink stations may drain into an approved, self-contained water removal system.

**Section 13. New Section.** The Salina Code is amended by adding a new section to Chapter 8, Article I, Division 3 to be numbered 8-1-3-807.4 which section reads as follows:

**Sec. 8-1-3-807.4 Amendment to Section 807.4 of the UPC.**

Section 807.4 of the UPC is amended to read as follows:

**Sec. 807.4 Domestic Dishwashing Machine.** Deleted.

**Section 14. Repealer.** Existing Salina Code Sections 8-71 through 8-118 are repealed.

**Section 15. Effective.** That this ordinance shall be in full force on January 1, 2017 after its adoption and publication once in the official city newspaper by the following summary:

Ordinance No. 16- 10848 Summary

On October 3, 2016 the City Commission passed Ordinance No. 16- 10848. The Ordinance amends Chapter 8, Article I, Division 3 of the Salina Code; repeals existing sections 8-71 through 8-118; adopts and incorporates the 2012 edition of the Uniform Plumbing Code by reference; and adopts local amendments with an effective date of January 1, 2017. A complete copy of the ordinance can be found at [www.salina-ks.gov](http://www.salina-ks.gov) or in the office of the City Clerk, 300 W Ash Street, free of charge. This summary is certified by the City's legal counsel.

Introduced: August 22, 2016

Passed: October 3, 2016

---

Kaye J. Crawford, Mayor

[SEAL]

ATTEST:

---

Shandi Wicks, CMC, City Clerk

Certification of Publication Summary:

---

Greg Bengtson, Legal Counsel